

OPUS-4800 Series

Credit Card Pay-on-Foot Station



Shown with optional EMV Terminal.

The OPUS-4800 Series Credit Card Pay-on-Foot Station communicates with Pro+ and utilizes an encrypted 2D data matrix barcode for unattended central payment in parking facilities. The OPUS-4800 Series offers intuitive user guidance through a dynamic color display, motion sensor arming and voice announcement. The Credit Card Pay-on-Foot Station processes encrypted thermal 2D barcode tickets from the OPUS-2000/2700 Series Entry Terminals. Payment options include validations and credit card. Mobile and printed barcode validations can be processed through the optional FlexScan QR400® barcode scanner.


Features

- Models include standard magstripe (MSR) or PCI P2PE EMV-ready MSR/chip terminal versions
- Thermal receipt printer with auto retract
- Motion sensor arming
- Credential tracking support
- Illuminated components for ease-of-use
- 5.7" color display - sunlight readable
- Voice announcement and intercom
- TCP/IP network connectivity
- Textured powder coat finish
- Supports online and offline fee calculation
- Capable of communications with Genetec LPR system for paid LPN recognition at exit

OPUSSeries®

OPUS-4800 Series

Credit Card Pay-on-Foot Station



SPECIFICATIONS

COMPLIANCE

RoHS Compliant

OPUS-4800 Series equipment does not store credit card data

Meets ADA (Americans with Disabilities Act) and ANSI (American National Standards Institute) requirements

ELECTRICAL

Power Source: 120 VAC, 60 Hz

Utilization: 10 amp maximum (120V)

TIME CONTROL

Real-time clock synchronization with host computer

ENVIRONMENT

Temperature: -20°F ~ 120°F (-29°C ~ 49°C)
Automatic thermostat-controlled heater included

Humidity: 10% ~ 90% (non-condensing)

HOUSING

Heavy-duty, 14-gauge steel construction, weather gasketing, lockable door

Height: 51.6" (131.1 cm)

Width: 14.0" (35.6 cm)

Depth: 19.18" (48.7 cm)

Weight: 140 lbs. (63.5 kg)

Ticket throat: 41.27" (104.8 cm)

Finish (Standard): Textured powder coat finish OPUS (RAL#7022); custom color available

TICKET READER/ENCODING MECHANISM

Reads all accepted 2D data matrix barcode tickets and validation coupons

Easy ticket jam removal

Encodes encrypted 2D data matrix barcode and transaction data in man-readable text

Vaults used validation chaser tickets

RECEIPT PRINTER

High speed thermal line dot

8" thermal paper roll

Auto-retract

INTERCOM/VOICE ANNOUNCEMENT

Aiphone LEF series intercom

Standard Voice Announcement

OPTIONAL KITS

Integrated IP Camera

Integrated FlexScan QR400 Barcode Scanner

Third-party Intercom Mounting

Specifications are approximate and are subject to change without notice.

